UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/905,348	07/13/2001	Avi Ashkenazi	10466/55	3826
35489 HELLER EHRI	7590 12/27/200 MAN LLP	EXAMINER		
275 MIDDLEF	IELD ROAD	SAOUD, CHRISTINE J		
MENLO PARK, CA 94025-3506			ART UNIT	PAPER NUMBER
			1647	
			MAIL DATE	DELIVERY MODE
			12/27/2007	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

	Application No.	Applicant(s)			
Office Action Comments	09/905,348	ASHKENAZI ET AL.			
Office Action Summary	Examiner	Art Unit			
	Christine J. Saoud	1647			
The MAILING DATE of this communication appears on the cover sheet with the correspondence address Period for Reply					
A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION. - Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication. - Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).					
Status					
1)⊠ Responsive to communication(s) filed on <u>24 Sectors</u>	entember 2007				
	action is non-final.				
<i>i</i>	· · · · · · · · · · · · · · · · · · ·				
closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.					
discour in assertations with the practice and of E	A parte Gadyle, 1000 C.D. 11, 10	0.0.210.			
Disposition of Claims					
4) Claim(s) 44-46 and 49-51 is/are pending in the application. 4a) Of the above claim(s) is/are withdrawn from consideration. 5) Claim(s) is/are allowed. 6) Claim(s) 44-46 and 49-51 is/are rejected. 7) Claim(s) is/are objected to. 8) Claim(s) are subject to restriction and/or election requirement.					
Application Papers					
 9) The specification is objected to by the Examiner. 10) The drawing(s) filed on is/are: a) accepted or b) objected to by the Examiner. Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a). Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d). 11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152. 					
Priority under 35 U.S.C. § 119					
 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received. 					
Attachment(s) 1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO/SB/08) Paper No(s)/Mail Date	4) Interview Summary Paper No(s)/Mail Da 5) Notice of Informal Pa 6) Other:	ite			

DETAILED ACTION

Status of Application, Amendments, And/Or Claims

The appeal brief of 24 September 2007 has been received and considered.

Upon further consideration, finality of the previous Office Action (mailed 17 October 2006) is *withdrawn* solely to clarify the issues for appeal, and to provide Applicant with an opportunity to respond accordingly.

35 U.S.C. §§ 101 and 112, First Paragraph

35 U.S.C. 101 reads as follows:

Whoever invents or discovers any new and useful process, machine, manufacture, or composition of matter, or any new and useful improvement thereof, may obtain a patent therefor, subject to the conditions and requirements of this title.

The following is a quotation of the first paragraph of 35 U.S.C. 112:

The specification shall contain a written description of the invention, and of the manner and process of making and using it, in such full, clear, concise, and exact terms as to enable any person skilled in the art to which it pertains, or with which it is most nearly connected, to make and use the same and shall set forth the best mode contemplated by the inventor of carrying out his invention.

Claims 44-46 and 49-51 are rejected under 35 U.S.C. 101 because the claimed invention is not supported by either a credible, specific, and substantial asserted utility or a well established utility.

Claims 44-46 and 49-51 are also rejected under 35 U.S.C. 112, first paragraph. Specifically, since the claimed invention is not supported by either a credible, specific, and substantial asserted utility or a well established utility for the reasons set forth above, one skilled in the art clearly would not know how to use the claimed invention.

Page 3

Art Unit: 1647

A portion of the basis for these rejections is withdrawn. Specifically, the examiner no longer asserts that **mRNA levels** are not predictive of polypeptide levels. Therefore, the following references are no longer being relied upon to support the rejections: Chen et al., Hu et al., LaBaer, Haynes et al., Gygi et al., Lian et al., Fessler et al., Nagaraja et al., Waghray et al., Sagnaliev et al., Lilley et al., Wildsmith et al., King et al., Bork et al., Celis et al., and Madoz-Gurpide et al. The following references cited and discussed by Applicant pertaining to the mRNA/polypeptide correlation issue will no longer be addressed: Futcher et al., Alberts and Lewin, Meric et al., Zhigang et al., Wang et al., Munaut et al. The basis of the maintained rejections is solely that **gene amplification levels** are not predictive of mRNA or polypeptide levels.

In the interest of clarity, the basis of the maintained rejections is set forth here:

The claims are directed to isolated polypeptides comprising the amino acid sequence of SEQ ID NO: 18 with or without its signal peptide, or the amino acid sequence of the full-length coding sequence of the cDNA deposited under ATCC accession number 209250, wherein the nucleic acid encoding said polypeptide is amplified in lung and tumor cell carcinomas. It is noted that the phrase "wherein the nucleic acid encoding said polypeptide is amplified in lung or colon tumors" is not an activity limitation for the claimed polypeptides; rather, it is a characteristic of a nucleic acid. In other words, the claims do not require that the claimed polypeptides be overexpressed in any tumor, or have any biological activity. Claims are also presented to chimeric proteins comprising the aforementioned polypeptides. The specification discloses the polypeptide of SEQ ID NO: 18, also known as PRO232. Applicants have

gone on record as relying upon the gene amplification assay as providing utility and enablement for the claimed polypeptides. See Appeal Brief (received 24 September 2007), p. 5, beginning of arguments.

At pages 227-235of the specification, Example 93 discloses a gene amplification assay in which genomic DNA encoding PRO232 had a ΔCt value of at least 1.0 for five out of nineteen lung tumor samples and seven out of 17 colon tumor samples when compared to a pooled control of blood DNA from several healthy volunteers. Example 93 asserts that gene amplification is associated with overexpression of the gene product (i.e., the polypeptide), indicating that the polypeptides are useful targets for therapeutic intervention in cancer and diagnostic determination of the presence of cancer. ΔCt is defined as the threshold PCR cycle, or the cycle at which the reporter signal accumulates above the background level of fluorescence. The specification further indicates that ΔCt is used as "a quantitative measurement of the relative number of starting copies of a particular target sequence in a nucleic acid sample when comparing cancer DNA results to normal human DNA results." It is stated that samples are used if their values are within 1 Ct of the 'normal standard'. It is further noted that the ΔCt values at pages 230-234 are expressed (a) with values to one one-hundredth of a unit (e.g. 1.29), and (b) that very few values were obtained that were at least 2.

First, there are several problems with the data provided in this example. Only five out of the nineteen lung cancer samples tested positive and only seven out of 17 colon tumor samples tested positive. Therefore, if a sample were taken from an individual with lung or colon cancer for diagnosis, *it is more likely than not that this*

Application/Control Number: 09/905,348

Page 5

Art Unit: 1647

assay would yield a false negative result. Furthermore, the art recognizes that lung epithelium is at risk for cellular damage due to direct exposure to environmental pollutants and carcinogens, which result in aneuploidy before the epithelial cells turn cancerous. See Hittelman (2001, Ann. N. Y. Acad. Sci. 952:1-12), who teach that damaged, precancerous lung epithelium is often aneuploid. See especially p. 4, Figure 4. The gene amplification assay in the instant specification does not provide a comparison between the lung tumor samples and normal lung epithelium and does not correct for aneuploidy. Thus it is not clear that PRO232 is amplified in cancerous lung epithelium more than in damaged (non-cancerous) lung epithelium. One skilled in the art would not conclude that PRO232 is a diagnostic probe for lung cancer unless it is clear that PRO232 is amplified to a clearly greater extent in true lung tumor tissue relative to non-cancerous lung epithelium.

Second, even if the data had been corrected for aneuploidy and a proper control had been used, and even if a majority of tumor samples had tested positive, the data have no bearing on the utility of the claimed PRO232 *polypeptides*. In order for PRO232 polypeptides to be overexpressed in tumors, amplified genomic DNA would have to correlate with increased mRNA levels and increased polypeptide levels. No data regarding PRO2321 mRNA or PRO232 polypeptide levels in lung or colon tumors have been brought forth on the record. The art discloses that a correlation between genomic DNA levels and mRNA levels cannot be presumed, nor can any correlation between genomic DNA levels and polypeptide levels. A specific example of the lack of

correlation between genomic DNA amplification and increased mRNA expression is provided by Pennica et al. (1998, PNAS USA 95:14717-14722), who disclose that:

"An analysis of *WISP*-1 gene amplification and expression in human colon tumors showed a correlation between DNA amplification and overexpression, whereas overexpression of *WISP*-3 RNA was seen in the absence of DNA amplification. In contrast, *WISP*-2 DNA was amplified in the colon tumors, but its mRNA expression was significantly reduced in the majority of tumors compared with the expression in normal colonic mucosa from the same patient."

See p. 14722, second paragraph of left column; pp. 14720-14721, "Amplification and Aberrant Expression of *WISPs* in Human Colon Tumors." Another specific example is provided by Konopka et al. (Proc. Natl. Acad. Sci. (1986) 83:4049-4052), who state that "Protein expression is not related to amplification of the abl gene but to variation in the level of bcr-abl mRNA produced from a single Ph1 template" (see abstract).

The *general* concept of gene amplification's lack of correlation with mRNA/protein overexpression in cancer tissue is addressed by Sen (2000, Curr. Opin. Oncol. 12:82-88). Specifically, Sen teaches that cancerous tissue is known to be aneuploid, that is, having an abnormal number of chromosomes. A slight amplification of a gene does not necessarily correlate with overexpression in a cancer tissue, but can merely be an indication that the cancer tissue is aneuploid. Hittelman also speaks to this issue. Again, the data in the specification were not corrected for such aneuploidy events. Furthermore, Godbout et al. (1998, J. Biol. Chem. 273(33):21161-8) speak to general lack of correlation between gene amplification and mRNA/protein overexpression. The abstract of Godbout teaches "The DEAD box gene, DDX1, is a putative RNA helicase that is co-amplified with MYCN in a subset of retinoblastoma

(RB) and neuroblastoma (NB) tumors and cell lines. Although gene amplification usually involves hundreds to thousands of kilobase pairs of DNA, a number of studies suggest that co-amplified genes are only overexpressed if they provide a selective advantage to the cells in which they are amplified." (emphasis added). The protein encoded by the DDX gene had been characterized as being a putative RNA helicase, a type of enzyme that would be expected to confer a selective advantage to the cells in which it (the DDX gene) was amplified. On page 21167, right column, first full paragraph, Godbout et al. state "It is generally accepted that co-amplified genes are not over-expressed unless they provide a selective growth advantage to the cell (48, 49). For example, although ERBA is closely linked to ERBB2 in breast cancer and both genes are commonly amplified in these tumors, ERBA is not overexpressed (48). Similarly, three genes mapping to 12q13-14 (CDK4, SAS and MDM2) are overexpressed in a high percentage of malignant gliomas showing amplification of this chromosomal region, while other genes mapping to this region (GADD153, GL1, and A2MR) are rarely overexpressed in gene-amplified malignant gliomas (50, 51). The first three genes are probably the main targets of the amplification process, while the latter three genes are probably incidentally included in the amplicons." (emphasis added). There is no evidence in the instant application that PRO232 confers any growth advantage to a cell, and thus it cannot be presumed that the protein is overexpressed because the genomic DNA including the gene being studied gene is amplified.

An additional reference that provides evidence that gene amplification does not generally lead to increased transcript is Li et al. (2006, Oncogene, Vol. 25, pages 2628-

Page 8

Art Unit: 1647

2635). Li et al. used a functional approach that integrated simultaneous genomic and transcript microarray, proteomics, and tissue microarray analyses to directly identify putative oncogenes in lung adenocarcinoma. On page 2633, right column, Li et al. state: "In our study, 68.8% of the genes showing over-representation in the genome did not show elevated transcript levels, implying that at least some of these genes are 'passenger' genes that are concurrently amplified because of their location with respect to amplicons but lack biological relevance in terms of the development of lung adenocarcinoma." Since more than half of the amplified genes were not overexpressed, Li et al. constitutes strong evidence that it is more likely than not that gene amplification does NOT correlate with increased protein levels, absent evidence that the protein has biological relevance in cancer. There is no such evidene for PRO341.

Therefore, data pertaining to PRO232 genomic DNA do not indicate anything significant regarding the claimed PRO232 polypeptides. The data do not support the specification's assertion that PRO232 polypeptides can be used as a cancer diagnostic agent. Significant further research would have been required of the skilled artisan to reasonably confirm that the claimed PRO232 polypeptides are overexpressed in any cancer to the extent that they could be used as cancer diagnostic agents, and thus the asserted utility is not substantial. In the absence of information regarding whether or not PRO232 polypeptide levels are also different between specific cancerous and normal tissues, the proposed use of the PRO232 polypeptides as diagnostic markers and therapeutic targets are simply starting points for further research and investigation

into potential practical uses of the polypeptides. See Brenner v. Manson, 148 U.S.P.Q. 689 (Sup. Ct., 1966), wherein the court held that:

"The basic quid pro quo contemplated by the Constitution and the Congress for granting a patent monopoly is the benefit derived by the public from an invention with substantial utility", "[u]nless and until a process is refined and developed to this point-where specific benefit exists in currently available form-there is insufficient justification for permitting an applicant to engross what may prove to be a broad field", and "a patent is not a hunting license", "[i]t is not a reward for the search, but compensation for its successful conclusion."

In view of the preponderance of evidence supporting the rejections (Pennica et al., Konopka et al., Sen, Hittelman, Godbout et al., and Li et al., all of which are of record and have been previously discussed), the rejections are properly maintained.

Applicant's arguments pertaining to the remaining issues (Appeal Brief, 24 September 2007) have been fully considered but are not found to be persuasive for the following reasons.

Applicant's detailed arguments begin at p. 8 of the appeal brief. Applicant begins with a review of the legal standard for utility, with which the examiner takes no issue.

Beginning at p. 11 of the brief, Applicant reviews Example 92, and asserts that an amplification of at least 2-fold is significant and indicative of a cancer diagnostic marker. However, the issue is whether or not a 2.056-5.28 fold amplification of the gene encoding PRO232 in five out of 19 lung tumors or 2.00 to 5.32-fold amplification of the gene encoding PRO232 in seven out of 17 colon tumors is significant. In the instant case, the facts are that fourteen of the nineteen lung tumor samples and ten out of the

seventeen colon tumors did not show an amplification of the gene encoding PRO232, and the control used was not a matched non-tumor lung or colon sample but rather was a pooled DNA sample from blood of healthy subjects. The art uses matched tissue samples (see Pennica et al., Konopka et al.). This art, as well as the Sen, Hittelman, Godbout et al., and Li et al. references cited above, constitute strong opposing evidence as to whether or not the claimed polypeptides have utility and enablement based on a presumption of overexpression in view of gene amplification data. Finally, this argument does not speak to whether or not the encoded proteins are also found at increased levels in cancerous tissues. Since the claims under examination are directed to polypeptides, not genes, this question is critical.

Applicant argues at page 13 that Pennica et al., Konopka et al. and Haynes et al. do not teach anything whatsoever about the correlation of protein expression and gene amplification for genes in general. With regard to Haynes et al., it is not directed to gene amplification, therefore it is not relevant anymore. With regard to Pennica et al. and Konopka et al., while they may not be directed to gene amplification in general, they do teach that gene amplification can correlate with overexpression of the gene product, but that this cannot be assumed for all genes with increased gene amplification (see arguments presented earlier in Office action).

Applicant argues that Haynes et al. supports the position that gene amplification mostly correlates well with protein expression because most of the genes studied in Haynes showed some positive correlation. Applicant's argument has been fully considered, but is not persuasive. Haynes et al. is directed to mRNA levels, not gene

amplification, therefore, Haynes et al. is no longer considered relevant to the remaining issue of the rejection. The general concept of gene amplification's lack of correlation with mRNA/protein overexpression in cancer tissue is addressed by Sen (2000, Curr. Opin. Oncol. 12: 82-88) and is supported by Godbout et al. and Li et al. (cited and addressed earlier in the Office action).

Applicant argues Hu et al., Chen et al., Lian et al. and Fessler et al. at page 14 of the Brief. However, as these references are not on point with the issue in the instant application, these arguments are moot.

Applicant argues Gygi et al. at page 15 of the Brief, However as this reference is not on point with the issue in the instant application, these arguments are moot.

At page 16 of the response, Applicant addresses the Godbout et al. reference. Specifically, Applicant argues that Godbout et al. teaches that there is a good correlation with DDX1 gene copy number, DDX1 transcript levels, and DDX1 protein levels in all cell lines studied, and that this demonstrates that in these cell lines, DDX1 mRNA and protein levels are correlated. Applicant's arguments have been fully considered but are not found to be persuasive. Far from teaching predictability for expression of PRO232 on the basis of a minor genomic amplification, the abstract of Godbout teaches "The DEAD box gene, DDXI, is a putative RNA helicase that is coamplified with MYCN in a subset of retinoblastoma (RB) and neuroblastoma (NB) tumors and cell lines. Although gene amplification usually involves hundreds to thousands of kilobase pairs of DNA, a number of studies suggest that co-amplified genes are only overexpressed if they provide a selective advantage to the cells in which

they are amplified." The protein encoded by the DDX gene had been characterized as being a putative RNA helicase, a type of enzyme that would be expected to confer a selective advantage to the cells in which it (the DDX gene) was amplified. On page 21167, right column, first full paragraph, Godbout et al. state "It is generally accepted that co-amplified genes are not over-expressed unless they provide a selective growth advantage to the cell (48, 49). For example, although ERBA is closely linked to ERBB2 in breast cancer and both genes are commonly amplified in these tumors, ERBA is not overexpressed (48). Similarly, three genes mapping to 12q13-14 (CDK4, SAS and MDM2) are overexpressed in a high percentage of malignant gliomas showing amplification of this chromosomal region, while other genes mapping to this region (GADD153, GL1, and A2MR) are rarely overexpressed in gene-amplified malignant gliomas (50, 51). The first three genes are probably the main targets of the amplification process, while the latter three genes are probably incidentally included in the amplicons."

On the contrary, there is no structure/function analysis in the specification regarding the putative protein encoded by the PRO232 gene. It is not disclosed, and based upon the sequence searches in this case, the Examiner can not find any reason to suspect, that the protein encoded by the PRO232 gene would confer any selective advantage on a cell expressing it. It has no known homology to an RNA helicase or any other protein that would be expected to confer a selective advantage to a tumor cell. Further, it cannot be determined from the abstract whether the level of genomic amplification of the DDXI gene was comparable to that disclosed for PRO232.

Art Unit: 1647

Applicants arguments regarding Saito-Hisaminato et al., Bustin et al., Lilley et al., King et al., Lee et al. and Wildsmith et al., Madoz Gurpide et al., Feroze-Merzoug et al., Nagaraja et al, Waghray et al., Sagynaliev et al, at pages 16-23 are noted. However, as s these references are not on point with the issue in the instant application (gene amplification), these arguments are moot.

Applicant argues at page 23 of the Brief that Li et al. does not support the rejection since Li et al. acknowledge that their results differed from Hyman et al. and Pollack et al., and may be due to differences in methodology. Applicant points to supplemental information accompanying the Li et al. publication indicating that genes amplified at a 1.4 copy number were considered significant, whereas PRO232 was amplified at least 2-fold. This has been fully considered but is not found to be persuasive. First, it is noted that Hyman et al. also found that less than half of the amplified genes were overexpressed at the mRNA level, even though they only investigated genes in genomic DNA regions that were amplified at least 2-fold (argued in more detail above). Furthermore, Li et al. did not limit their studies to genes that were amplified at less than 2-fold. In fact, the supplemental information indicates that some of the samples were required to bind with a probe requiring at least 2-fold amplification:

Genes with copy number ratio > 1.40 (representing the upper 5% of the CGH ratios across all experiments) were considered to be overrepresented. A genomic fragment that contained six or more adjacent probes showing a copy number ratio > 1.40, or a region with at least three adjacent probes with a copy number ratio > 1.40 and no less than one probe with a ratio > 2.0, were considered to be amplicons. (emphasis added, from 1st page of supplemental material)

Art Unit: 1647

At pp. 24-25, Applicant urges that, in general, DNA amplification correlates with increased expression of the encoded protein. Applicant argues that the specification shows significant amplification in five different lung primary tumors and seven different colon tumors, evidence in the form of publications has been submitted to establish that a general DNA/mRNA/protein correlation exists, and declarations from experts have been provided to further support Applicant's position. Applicant concludes that the utility of the claimed PRO232 polypeptides has been achieved. Applicant stresses that absolute certainty is not required, and that it has been established that it is more likely than not that PRO232 polypeptides are overexpressed in certain carcinomas. This has been fully considered but is not found to be persuasive for the following reasons. Regarding the gene amplification assay itself, it is noted that PRO232 gene was not amplified in 14 out of 19 lung carcinoma samples and 10 out of 17 colon tumor samples. Therefore, PRO232 it is more likely than not that a lung or colon carcinoma sample will not have amplified PRO232. Also, the assay did not correct for an euploidy, which is a common feature of non-cancerous, damaged lung epithelium (evidenced by Hittelman). Contrary to Applicant's assertion, the state of the art indicates that gene amplification is not generally associated with overexpression of the encoded gene product, as evidenced by Sen, Pennica et al., Konopka et al., Hanna and Mornin, Godbout et al., Hyman et al., and Li et al.

Applicant refers a first and second Polakis declaration filed with the instant response (see page 25 of response). The Polakis declaration under 37 CFR 1.132 (filed August 9, 2004) is insufficient to overcome the rejection of the pending claims

Art Unit: 1647

based upon 35 U.S.C. §§ 101 and 112, first paragraph, as set forth herein because the declaration focuses on the question of whether or not mRNA levels are predictive of protein levels. As explained above, the examiner is no longer arguing this point. Since the Polakis declaration does not address the question of whether or not amplified genomic DNA is predictive of increased polypeptide levels, it is no longer considered pertinent to the rejection. Applicant also refers to the second Polakis declaration (filed July 27, 2006) is also deficient because it does not address the question of whether or not amplified genomic DNA is predictive of increased polypeptide levels.

At page 26, Applicant refers to the sale of gene expression chips to measure mRNA levels. However, this information is not relevant to the claimed invention because the claimed invention is not directed to gene expression chips, but rather an isolated polypeptide of SEQ ID NO:18.

At pages 26-27, Applicant concludes that, based on the asserted utility for PRO232 in the diagnosis of selected lung and colon carcinomas, the references of record and the evidence as a whole, one skilled in the art would know exactly how to make and use the claimed polypeptides for diagnosis of lung carcinoma without undue experimentation. Applicant urges that, in general, DNA amplification correlates with increased expression of the encoded protein. Applicant concludes that the utility of the claimed PRO232 polypeptides has been achieved. Applicant stresses that absolute certainty is not required, and that it has been established that it is more likely than not that PRO232polypeptides are overexpressed in certain lung and colon carcinomas.

Art Unit: 1647

This has been fully considered but is not found to be persuasive for the following reasons. Regarding the gene amplification assay itself, it is noted that PRO232 gene was not amplified in 14 out of 19 lung and 10 out of 17 colon carcinoma samples. Therefore, PRO232 it is more likely than not that a lung or colon carcinoma sample will not have amplified PRO232. Also, the assay did not correct for aneuploidy, which is a common feature of non-cancerous, damaged lung epithelium (evidenced by Hittelman). Contrary to Applicant's assertion, the state of the art indicates that gene amplification is not generally associated with overexpression of the encoded gene product, as evidenced by Sen, Pennica et al., Konopka et al., Hanna and Mornin, Godbout et al., Hyman et al., and Li et al. Since significant further research would have been required of the skilled artisan to reasonably confirm that the claimed PRO232 polypeptides are overexpressed in any cancer to the extent that they could be used as cancer diagnostic agents, the asserted utility is not substantial. In the absence of information regarding whether or not PRO232 polypeptide levels are also different between specific cancerous and normal tissues, the proposed use of the PRO232 polypeptides as diagnostic markers and therapeutic targets are simply starting points for further research and investigation into potential practical uses of the polypeptides. See Brenner v. Manson, 148 U.S.P.Q. 689 (Sup. Ct., 1966), wherein the court held that:

"The basic quid pro quo contemplated by the Constitution and the Congress for granting a patent monopoly is the benefit derived by the public from an invention with substantial utility", "[u]nless and until a process is refined and developed to this point-where specific benefit exists in currently available form-there is insufficient justification for permitting an applicant to engross what may prove to be a broad field", and "a patent is not a hunting license", "[i]t is not a reward for the search, but compensation for its successful

Art Unit: 1647

conclusion."

Priority Determination

As the claimed subject matter is found to lack utility and enablement under 35 U.S.C. §§ 101 and 112, first paragraph, respectively, the effective priority date for this application is the instant filing date, 13 July 2001. Applicant's belief that they are entitled to the filing date of September 17, 1997 is noted, but not persuasive in view of the rejections of record.

Claim Rejections - 35 USC § 102

Claims 44 and 46 stand rejected under 35 U.S.C. 102(b) as being anticipated by Rosenthal et al. (DE 19818619-A1, 28 October 1999) for the reasons of record in the previous Office action(s).

Applicant argues that the claimed priority of the instant application is 17 September 1997, and therefore, the rejection is not proper. This argument is not persuasive in light of the utility rejection and the effective priority of the instant application based on the lack of utility.

Conclusion

No claim is allowed.

No new rejections have been made, and no new evidence has been cited.

THUS, THIS ACTION IS MADE FINAL. Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

Art Unit: 1647

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Christine J. Saoud whose telephone number is 571-272-0891. The examiner can normally be reached on Monday-Friday, 6AM-2PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Manjunath Rao can be reached on 571-272-0939. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 1647

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Christine J Saoud/ Primary Examiner, Art Unit 1647